

## All Specifications

### Panel

Screen Size	86"
Resolution (pixels)	UHD 3840x2160
Panel Type	DLED
Brightness (Typical) (nits)	400
Contrast Ratio (Typical)	1,200:1
Viewing Angle (Horizontal / Vertical)	178° / 178°
Light Life (Typical) (hours)	50,000
Display Orientation	Landscape
Color Gamut (×% NTSC)	72%
Response Time (ms)	8ms

### Touch

Touch Technology	IR
Touch Interface	USB B Touch Port x2
Number of Touch	Up to 20 points Multi-touch

### Glass

Tempered Glass	4 mm Tempered Glass
Germ-Resistant Screen	Yes
Anti-Glare (AG) Coating	AG75

### Connectivity & Sensor

Built-in speaker	15W x2
------------------	--------

Sensor

Light Sensor

## Audio

Line Out (Audio Out, 3.5mm) x1

SPDIF x1

## Control

RS232 Input x1

RJ45 Port x2 (Input/Output)

Firmware Update USB / OTA

## Input/Output

VGA Input x1

HDMI Input x3

HDMI Output x1

OPS Slot x1

Power (AC) Input x1

USB Player (Photo, Video) 2.0x4 ,3.0x2 (OPS follow)

## Mechanical

Weight (Without Packing / With Packing) (kg) 69kg/90.5kg

Dimension (WxHxD) (mm) 1991.57 x 1182.61 x 112.8mm

Wall Mounting (VESA) (mm)(Screw type /Max. length) 600 x 400 (4 holes); M8

Handle x4

## Language

On-Screen Display Languages	English / French / German / Dutch / Polish / Russian / Czech / Danish / Swedish / Italian / Romanian / Finnish / Norwegian / Greek / Hungarian / Spanish / Portuguese / Traditional Chinese / Simplified / Chinese / Arabic / Japanese / Thai / Persian / Vietnamese / Korea / Turkey / Indonesia (27L)
-----------------------------	---

## Package/Accessory

VGA Cable	x1
HDMI Cable	x1
USB Cable for Touch	x1
Quick Start Guide	x1
User's Manual (electronic file)	x1
Wall Mount (with shipment)	x1
Touch Pen (Stylus)	x2
Power Cord (By Region)	By Region
Remote Control	x1

## Power

Voltage	100V-240V, 50/60Hz
Typical (watt)	284W

## Optional

Trolley	x1
USB Wi-Fi Dongle	x1
OPS	x1

