

BenQ DLP Projector EX600

Display

Projection System	DLP Single 0.55" XGA
--------------------------	-----------------------------

DMD type	DMD chip
-----------------	-----------------

Native Resolution	1024 x 768 pixels, 4:3
--------------------------	-------------------------------

Brightness	3,600 Lumens
-------------------	---------------------

Contrast Ratio*	20,000:1
------------------------	-----------------

Display Color	1.07 Billion Colors
----------------------	----------------------------

Aspect Ratio	Native 4:3 (5 aspect ratio selectable)
---------------------	---

Light Source	Lamp 200W
---------------------	------------------

Light Source life*	Normal 5000 hrs;Economic 10000 hrs;SmartEco 15000 hrs;LampSave 15000 hrs
---------------------------	---

Optical

Throw Ratio	1.96~2.15
--------------------	------------------

Zoom Ratio	1.1X
-------------------	-------------

Lens Control	Manual Focus
---------------------	---------------------

Lens shift	N/A
-------------------	------------

Keystone Correction	1D, Vertical +/- 40 degrees
----------------------------	------------------------------------

Projection Offset	110±2.5%(Full-Height)
--------------------------	-------------------------------

Projection Size	60"~180"
------------------------	-----------------

Audio

Built-in Speaker	2W x1
-------------------------	--------------

Special Feature

Security	Security Bar
-----------------	---------------------

Feature**Built-In smart system, BenQ Launcher, Hidden Wireless dingle, Bluetooth Audio out, Digital zoom(2x), Digital Shrink and Shift**

Smart System

OS System**Android 6.0****ROM/RAM****16GB/2GB**

Wireless

Wireless**Dual Band 802.11ac/b/g/n, 2.4G/5G****Bluetooth****4.0**

Compatibility

Resolution Support**VGA(640 x 480) to WUXGA_RB(1920 x 1200)****Horizontal Frequency****15~102KHz****Vertical Scan Rate****23~120Hz**

HDTV Compatibility	480i, 480p, 576i, 567p, 720p, 1080i, 1080p
---------------------------	---

Video Compatibility	NTSC, PAL, SECAM
----------------------------	-------------------------

Power

Power Consumption(Max/Normal/Eco)	Max 320W. Normal 280 W. Eco 235 W.
--	---

Standby Power Consumption	Normal < 0.5W
----------------------------------	-------------------------

Power Supply	100 ~ 240V AC
---------------------	----------------------

Dimension and Weight

Product Dimensions (WxHxD)	296 x 120 x 232 mm
-----------------------------------	---------------------------

Product Weight	2.5 Kg
-----------------------	---------------

Operation Condition

Noise Level(Normal/Eco)	33/29 dBA
--------------------------------	------------------

Operating Temperature

0 ~ 40oC

Accessories

Accessories (Standard)

Wireless Dongle: WDR02U
Power Cord (by region)
Remote Control w/ Battery(RC1023)
VGA cable
Warranty Card (by region)
QSG

Accessories (Optional)

Spare Lamp Kit ((5J.JLR05.001))
3D Glasses (5J.J9H25.002)
Ceiling mount (5J.JAM10.001)

Connectivity

HDMI **x 1**

PC (D-sub 15pin) **x 1**

Monitor out (D-sub 15pin,Female) **x 1**

Audio in(mini jack) **x 1**

Audio out (mini jack) x 1

RS232 In (D-sub 9pin, male) x 1

USB TypeA-1 x 1

USB TypeA-2 (5V,1.5A) x 1

USB TypeA (For hidden wireless dongle) x 1

USB Type mini B x 1

IR Receiver(Front+Top) x 2