



# SMART IP SPEAK 910-BT

Conference Bluetooth Speakerphone

Model: SPEAK910BT





SPEAK910BT series USB/Bluetooth/ 2.4G speakerphone is a business grade conference call audio equipment. It adopts the latest Sonic Clear IV high-definition voice processing technology. Connect SPEAK910BT to PC or laptop, can instantly replace the PCs and laptop's speaker and microphone with crystal clear sound without any echoes or distortions. It is suitable for small to medium enterprises, home office professionals, on-line education teachers and students, and business travelers for personal or small group conference calls.

- Built-in high-fidelity omnidirectional microphone provide 360 degree audio pickup over 4 m.
- Intuitive plug and play connectivity that connect in Seconds to laptop, smart phone and tablet via USB SPEAK910BT
- 22KHz full duplex echo cancellation & noise reduction removes ambient room noise.
- Advanced DSP technology delivers remarkably rich, crystal-clear audio.
- Immersive sound for calls and music. Experience Omni-directional microphone and HD voice. Ideal for voice, music and multimedia.
- Exclusive portable design so you can be mobile with a lightweight design, protective travel pouch and battery life for 4 hours talk time.
- Suitable for meeting rooms within 40 square meters. Support on-site meetings of less than 10 people.
- Support 3.5mm audio playback output, can be external headphones or speakers.
- Works with most UC, video conferencing and cloud communication apps such as ZOOM, Vidyo, Webex, Skype for business, Google hangout and so on.

## Features |





Portable Design



4m Sound-Pickup Diameter



Echo Cancellation & Noise Reduction



Compatible Software



Bluetooth Connection



USB Connection



2.4G Connection



Package Contents

## Product Specifications

Voice Technical Parameters	Acoustic Echo cancellation ( AEC ): 65dB
	Echo length cancellation: z500ms
	Bidirectional noise compression ( NC ): 25dB
	Automatic Direction finding Technology of Intelligent
	Microphone: (EMI)
	Automatic gain control: (AGC)
Audio Parameters	Microphone frequency response: 100Hz-22KHz
	Speaker frequency response: 100Hz-22KHz
	Speaker volume: 95dB at the most
	Microphone sound-pickup diameter: 4 m, 360 degrees full range
Interface	USB interface: 3.5mm audio output
Power Supply	USB power supply: (5V/500m)
Computer Environment	Windows, Mac OSX, Android
Operating Environment	Operational environment: 0 - 40 degrees C ,Working humidity: 20 - 85% (no frost)
Size	141 x 141x42mm/192x192x90mm: (before/after packaging)
Weight	2609/500g (Net/Gross weight)
Accessory	A8m USB cable, QC card, manual
	1.8m USB cable, QC card, manual
	1.8m USB Cable, 2.4G wireless receiver, QC card, manual